

**MATERIAL SAFETY DATA SHEET****Cyclohexanone**

<b>MSDS Name:</b>	Cyclohexanone, 99.8%
<b>Synonyms:</b>	

<b>Company Identification:</b>	<b>Hazel Mercantile Limited</b>
<b>Company Identification: (INDIA)</b>	701, Embassy Centre , Nariman Point , Mumbai – 400 021
<b>For information in the INDIA, call:</b>	+91-22-2282 44450 Lines4

**Section 2 - Composition, Information on Ingredients**

CAS#	Chemical Name:	%	EINECS#
108-94-1	Cyclohexanone	99.8%	203-631-1

<b>Hazard Symbols:</b>	XN
	
<b>Risk Phrases:</b>	10 20

**Section 3 - Hazards Identification****EMERGENCY OVERVIEW**

*Flammable. Harmful by inhalation.*

**Potential Health Effects**

<b>Eye:</b>	May cause eye irritation. May result in corneal injury.
<b>Skin:</b>	May cause skin irritation. May be harmful if absorbed through the skin.
<b>Ingestion:</b>	May cause irritation of the digestive tract. May cause central nervous system depression, kidney damage, and liver damage. May be harmful if swallowed.
<b>Inhalation:</b>	Harmful if inhaled. May cause respiratory tract irritation. May cause narcotic effects in high concentration. May cause liver abnormalities. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. May cause kidney damage.
<b>Chronic:</b>	Prolonged or repeated skin contact may cause dermatitis.

**Section 4 - First Aid Measures**

<b>Eyes:</b>	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.
<b>Skin:</b>	Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
<b>Ingestion:</b>	Get medical aid. Wash mouth out with water.
<b>Inhalation:</b>	Remove from exposure and move to fresh air immediately. Get medical aid.
<b>Notes to Physician:</b>	



### Section 5 - Fire Fighting Measures

<b>General Information:</b>	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Will burn if involved in a fire.
<b>Extinguishing Media:</b>	Use water spray to cool fire-exposed containers. Use foam, dry chemical, or carbon dioxide. Water may be ineffective.

### Section 6 - Accidental Release Measures

<b>General Information:</b>	Use proper personal protective equipment as indicated in Section 8.
<b>Spills/Leaks:</b>	Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Remove all sources of ignition.

### Section 7 - Handling and Storage

<b>Handling:</b>	Use spark-proof tools and explosion proof equipment. Avoid breathing dust, vapor, mist, or gas. Avoid contact with skin and eyes.
<b>Storage:</b>	Keep away from sources of ignition. Store in a cool, dry place. Store in a tightly closed container. Flammables-area.

### Section 8 - Exposure Controls, Personal Protection

<b>Engineering Controls:</b>	Use adequate ventilation to keep airborne concentrations low. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.
<b>Exposure Limits</b>	CAS# 108-94-1: United Kingdom, WEL - TWA: 10 ppm TWA United Kingdom, WEL - STEL: 20 ppm STEL United States OSHA: 50 ppm TWA; 200 mg/m3 TWA Belgium - TWA: 10 ppm VLE; 40.8 mg/m3 VLE Belgium - STEL: 20 ppm VLE; 81.6 mg/m3 VLE France - VME: 10 ppm VME; 40.8 mg/m3 VME France - VLE: 20 ppm VLE; 81.6 mg/m3 VLE Germany: 20 ppm TWA; 80 mg/m3 TWA Germany: skin notation Japan: 25 ppm OEL; 100 mg/m3 OEL Malaysia: 25 ppm TWA; 100 mg/m3 TWA Netherlands: 12.5 ppm STEL; 50 mg/m3 STEL Russia: 10 mg/m3 TWA (vapour) Spain: 10 ppm VLA-ED; 41 mg/m3 VLA-ED Spain: 20 ppm VLA-EC; 82 mg/m3 VLA-EC

<b>Personal Protective Equipment</b>	
<b>Eyes:</b>	Wear chemical splash goggles.
<b>Skin:</b>	Wear appropriate protective gloves to prevent skin exposure.
<b>Clothing:</b>	Wear appropriate protective clothing to prevent skin exposure.
<b>Respirators:</b>	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.



## Section 9 - Physical and Chemical Properties

<b>Physical State:</b>	Clear liquid
<b>Color:</b>	APHA: 10 max
<b>Odor:</b>	Not available
<b>pH:</b>	Not available
<b>Vapor Pressure:</b>	4.5 mbar @ 20 deg C
<b>Viscosity:</b>	Not available
<b>Boiling Point:</b>	155 deg C @ 760.00mm Hg ( 311.00°F)
<b>Freezing/Melting Point:</b>	-47 deg C ( -52.60°F)
<b>Autoignition Temperature:</b>	520 deg C ( 968.00 deg F)
<b>Flash Point:</b>	46 deg C ( 114.80 deg F)
<b>Explosion Limits: Lower:</b>	1.10 vol %
<b>Explosion Limits: Upper:</b>	8.10 vol %
<b>Decomposition Temperature:</b>	Not available
<b>Solubility in water:</b>	Not available.
<b>Specific Gravity/Density:</b>	0.9470g/cm3
<b>Molecular Formula:</b>	C6H10O
<b>Molecular Weight:</b>	98.14

## Section 10 - Stability and Reactivity

<b>Chemical Stability:</b>	Stable under normal temperatures and pressures.
<b>Conditions to Avoid:</b>	Incompatible materials, ignition sources.
<b>Incompatibilities with Other Materials</b>	Oxidizing agents, reducing agents, plastics.
<b>Hazardous Decomposition Products</b>	Carbon monoxide, carbon dioxide.
<b>Hazardous Polymerization</b>	Will not occur.

## Section 11 - Toxicological Information

<b>RTECS#:</b>	CAS# 108-94-1: GW1050000
<b>LD50/LC50:</b>	RTECS: <b>CAS# 108-94-1:</b> Draize test, rabbit, eye: 20 mg Severe; Draize test, rabbit, eye: 250 ug/24H Severe; Inhalation, mouse: LC50 = 2375 mg/m3; Inhalation, rat: LC50 = 8000 ppm/4H; Inhalation, rat: LC50 = 19000 mg/m3; Oral, mouse: LD50 = 1400 mg/kg; Oral, rat: LD50 = 1620 uL/kg; Oral, rat: LD50 = 1800 mg/kg; Skin, rabbit: LD50 = 1 mL/kg;.
<b>Carcinogenicity:</b>	Cyclohexanone - ACGIH: A3 - Confirmed animal carcinogen with unknown relevance to humans IARC: Group 3 (not classifiable)
<b>Other:</b>	See actual entry in RTECS for complete information.

## Section 12 - Ecological Information

<b>Ecotoxicity:</b>	Daphnia: EC50: 820 mg/l; 96H; Fish: Fathead Minnow: LC50: 527 mg/l; 96H; .
---------------------	--

## Section 13 - Disposal Considerations

	Dispose of in a manner consistent with federal, state, and local regulations.
--	---



## Section 14 - Transport Information

	IATA	IMO	RID/ADR
<b>Shipping Name:</b>	CYCLOHEXANONE	CYCLOHEXANONE	CYCLOHEXANONE
<b>Hazard Class:</b>	3	3	3
<b>UN Number:</b>	1915	1915	1915
<b>Packing Group:</b>	III	III	III

USA RQ: CAS# 108-94-1: 5000 lb final RQ; 2270 kg final RQ

## Section 15 - Regulatory Information

European/International Regulations
European Labeling in Accordance with EC Directives
Hazard Symbols: XN
<b>Risk Phrases:</b>
➤ R 10 Flammable.
➤ R 20 Harmful by inhalation.
<b>Safety Phrases:</b>
➤ S 25 Avoid contact with eyes.
<b>WGK (Water Danger/Protection)</b>
➤ CAS# 108-94-1: 1
<b>Canada</b>
➤ CAS# 108-94-1 is listed on Canada's DSL List
<b>US Federal</b>
➤ TSCA
➤ CAS# 108-94-1 is listed on the TSCA Inventory.

## Section 16 - Other Information

<b>MSDS Creation Date:</b>	September 16, 2007
<b>Revision #0 Date</b>	

*The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.*